


Semi-outdoor Led display

Semi-outdoor one-line LED Sign (Pitch 7.62mm)					
Full matrix size Lmm*Hmm	Net Unit Price(EUR)			General Function Feature	Pictures
	Full color(RGB)	Bicolor(RG)	Single color(R)		
7*32	290*100*40		210	150	
7*64	540*100*40		330	185	
7*96	780*100*40		450	240	
7*128	1030*100*40		597	310	
7*160	1270*100*40		680	360	
7*192	1510*100*40		740	390	
7*224	1760*100*40		910	450	
7*256	2000*100*40		960	490	
16*40	375*192*90		450	360	
16*80	680*192*90		630	480	
16*120	984*192*90		730	600	
16*160	1290*192*90		987	750	
16*200	1594*192*90		1320	860	
16*240	1899*192*90		1450	960	
24*40	375*253*90		520	450	
24*80	680*253*90		740	610	
24*120	984*253*90		1200	750	
24*160	1289*253*90		1450	950	
24*200	1594*253*90		1800	1200	
24*240	1899*253*90		2100	1350	
32*40	375*314*90		600	450	


32*80	680*314*90		970	660	7)With real-time time system.
32*120	984*314*90		1450	860	8) 26 kinds of fonts,26 show
32*160	1289*314*90		1630	930	modes, 8 colors(bicolor)
32*200	1594*314*90		1940	1230	or 256 colors(full color).
32*240	1899*314*90		2100	1350	



Semi-outdoor one-line LED Sign (Pitch 10mm)					
Full matrix size Lmm*Hmm	Net Unit Price(EUR)			General Function Feature	Pictures
	Full color(RGB)	Bicolor(1R1G)	Single color(1R)		
7*64	670*100*40		360	210	1) 26 kinds of display modes, 8 grade display speeds, 10 grade
7*96	990*100*40		480	300	
7*128	1310*100*40		610	350	
7*160	1630*100*40		720	400	
7*192	1950*100*40		600	450	
7*224	2270*100*40		980	480	
7*256	2590*100*40		1120	620	
16*64	710*230*90		920	620	stop-time.
16*96	1030*230*90		1320	760	2) Can display graphics,
16*128	1350*230*90		1240	960	international character,
16*160	1670*230*90		1950	1050	time,date, temperature,
16*192	2070*230*90		2400	1450	humidity, special font etc.
16*224	2470*230*90		2700	1500	3) A total of 15 kinds of
16*256	2630*230*90		3120	1560	fonts,font editing capabilities
24*64	710*310*90		1230	760	4)Three methods for controlling brightness are
24*96	1030*253*90		1800	1030	available:operating according
24*128	1350*253*90		2230	1350	



24*160	1670*253*90		2870	1560	to time control, automatic control, fixed value control. 5) Optional communication ways: RS232, RS485, USB, TCP/IP, GSM, GPRS, RF 6) Automatic message switching by time of day and/or day-of-the-week 7) With real-time time system. 8) 26 kinds of fonts, 26 show modes
24*192	1990*253*90		3300	1800	
24*224	2310*253*90		3600	2100	
24*256	2630*253*90		4200	2400	
32*64	710*390*90		1500	900	
32*96	1030*390*90		2100	1240	
32*128	1350*390*90		2970	1640	
32*160	1670*390*90		3600	1930	
32*196	1990*390*90		4430	2320	
32*224	2310*390*90		4750	2650	
32*256	2630*390*90		5120	2970	

Semi-outdoor one-line LED Sign (Pitch 16mm)

Full matrix size Lmm*Hmm	Net Unit Price(EUR)	General Function Feature			Pictures
		Full color(RGB)	Bicolor(2R1G)	Single color(2R)	
7*64	1090*200*90	920	750	600	
7*96	1610*200*90	1230	970	760	
7*128	2120*200*90	1560	1230	930	
7*160	2630*200*90	1940	1450	1050	
16*64	1090*330*90	1560	1230	900	
16*96	1610*330*90	2210	1670	1200	
16*128	2120*330*90	3000	2240	1530	
16*160	2630*330*90	3620	2700	1890	

					operating according to time control, automatic control, fixed value control.	
24*64	1090*470*90	2120	1670	1200		
24*96	1610*470*90	3210	2400	1560		
24*128	2120*470*90	4320	3210	2230	5)Optional communication ways:	
24*160	2630*470*90	4760	3630	2540	RS232,RS485, USB, TCP/IP , GSM , GPRS , RF	
					6)Automatic message switching by time of day and/or day-of-	
32*64	1090*600*90	3000	2100	1450	the-week	
32*80	1350*582*90	3730	2700	1780		
32*96	1610*600*90	4420	3120	2100	7)With real-time time system.	
32*128	2120*600*90	5110	3930	2700	8) 26 kinds of fonts,26 show modes, 8 colors(bicolor)	
32*160	2630*600*90	5720	4530	3000	or 256 colors(full color).	

Price: Ex-work Hungary (Dunakeszi)

Options: USB USD20

TCP/IP USD 25

GSM USD 80

GPRS USD 120

RF USD 120

www.ledmovie.com

info@ledmovie.com